

# OTTO

# Anti-Mildew Spray

## Technical Datasheet

- Characteristics:**
- Removes mildew, fungus, algae and moss reliably and permanently
  - Glazings, paints, varnishes, masonry, plastics and wallpapers are not affected
  - Acts as a disinfectant and eliminates odours
- Fields of application:**
- For pre-treatment when redoing the substrates of mould-infested joints
  - Special spray against mildew, fungus, moss and algae growth
  - For application on tile joints, elastic joints and walls in living rooms, kitchens, bathrooms, cellar, as well as protective substance for masonry, terraces and façades
- Standards and tests:**
- OTTO Anti-Mildew Spray has been registered according to the German and Austrian law on biocides only (product group 2, BAuA Reg.-Nr.: N - 12215)
  - Use OTTO Anti-Mildew Spray safely. Read product information and labelling before application.

<b>Technical properties:</b>	Shelf life at 23 °C/50 % RAH [months]	24
------------------------------	---------------------------------------	----

**Application information:** Spray OTTO Anti-Mildew spray on the existing infestation from a distance of approx. 5 - 10 cm. Do not remove mildew before application. OTTO Anti-Mildew Spray shows an effect after a few minutes already. In case of extreme mould, moss or algae infestation spray again OTTO Anti-Mildew Spray on the substrate concerned after approx. 10 minutes. Clean elastic joints and tiles treated with OTTO Anti-Mildew Spray with plenty of water after 10 minutes. One bottle is sufficient for approx. 8 m<sup>2</sup> (250 ml bottle) respectively for approx. 16 m<sup>2</sup> (500 ml bottle). Due to the many possible influences during and after application, the customer always has to carry out trials first. Please observe the recommended shelf life which is printed on the packaging.

Packaging:	250 ml plastic spray bottle	500 ml plastic spray bottle	20 l plastic canister
-	ANTI-81	ANTI-84	ANTI-68
<b>Packaging unit</b>	<b>12</b>	<b>12</b>	<b>1</b>
<b>Pieces per pallet</b>	<b>1380</b>	<b>768</b>	<b>24</b>

**Safety precautions:** Please observe the material safety data sheet.

**Disposal:** Information about disposal: Please refer to the material safety data sheet.

**Warranty information:** All information in this publication is based on our current technical knowledge and experiences. However, since conditions and methods of use and application of our products are beyond our control, we suggest you to test the product before final use. Information given in this technical data sheet and explanations of OTTO - CHEMIE in connection with this technical data sheet (e. g. service description, reference to DIN regulations etc.) is not to be seen as a warranty. Warranties require a separate written declaration of OTTO – CHEMIE to prove their validity. The characteristics stated in this data sheet

define the characteristics of the article broadly and concludingly. Suggestions of use are not to be taken as confirmation of the appropriateness for the recommended intended use. We reserve the right to alter the product adjusting it according to technical progress and new developments. We are at your disposal both for inquiries as well as specific application problems. If a governmental approval or clearance is necessary for the application of our products, the user is responsible for the obtainment of such. Our recommendations do not excuse the user from the obligation to take into consideration the possibility of infringement of third parties' rights and - if necessary – resolving it. For the rest our general terms and conditions apply, in particular regarding a possible liability for defects. You can find our general terms and conditions on our homepage: <http://www.otto-chemie.com>.



INDUSTRIEVERBAND  
DICHTSTOFFE E.V.  
(IVD)



INDUSTRIEVERBAND  
KLEBSTOFFE E.V.  
(IVK)



**Sealants • Adhesives**