

# SAFETY DATA SHEET

Issue Date 09-Jul-2015 Revision Date 09-Oct-2017 Version 1

## 1. IDENTIFICATION

Product identifier

**Product Name** Nuts N' Bolts 240

Other means of identification

**Product Code** MS-240 UN/ID no. UN 3082 **Synonyms** None

Recommended use of the chemical and restrictions on use

**Recommended Use** Adhesives. Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

**Company Phone Number** 407-322-4000

**Emergency Telephone** Chemtel 800-255-3924

## 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

## Label elements

## **Emergency Overview**

## Danger

## **Hazard statements**

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Suspected of causing cancer

May damage fertility or the unborn child

May cause damage to organs through prolonged or repeated exposure Combustible liquid



**Appearance** No information available

Physical state Liquid

Odor Mild

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

## Other Information

May be harmful if swallowed Toxic to aquatic life with long lasting effects Very toxic to aquatic life

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
POLYETHYLENE GLYCOL DIMETHACRYLATE	25852-47-5	30 - 60	*
DIBUTYL PHTHALATE	84-74-2	30 - 60	*
Hydroxypropyl Methacrylate	27813-02-1	1 - 5	*
Cumene Hydroperoxide	80-15-9	1 - 5	*
N,N-DIMETHYL-P-TOLUIDINE	99-97-8	0.1 - 1	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

Revision Date 09-Oct-2017

\_\_\_\_\_

## 4. FIRST AID MEASURES

## **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact No attempt should be made to remove material from skin or to remove contaminated

clothing, as bonded skin can be easily torn. Wash with large volumes of soap and water while flexing bonded skin parts. This procedure will slowly release bonded areas. DO NOT

attempt to pull skin apart forcibly.

**Inhalation** Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

## Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

## Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Store in a closed container until ready for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 7 and 29 °C.

**Incompatible materials** Reducing agents. Strong oxidizers.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
DIBUTYL PHTHALATE	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 4000 mg/m <sup>3</sup>
84-74-2	_	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

### **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing. Use rubber or plastic gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene Considerations** Wear suitable gloves and eye/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available Odor Mild

ColorPurpleOdor thresholdNo information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH
No information available
> 149 °C / 300 °F
| > 93 °C / 200 °F
| No information available
| Flammability (solid, gas)

MS-240 - Nuts N' Bolts 240 Revision Date 09-Oct-2017

\_\_\_\_\_

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure < 5 mm at 80°F

Vapor density No information available

Relative density 1.06

Water solubility slightly soluble

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

## **Other Information**

Softening point
Molecular weight
VOC Content (%)
Density
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Incompatible materials.

## **Incompatible materials**

Reducing agents. Strong oxidizers.

## **Hazardous Decomposition Products**

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Revision Date 09-Oct-2017

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIBUTYL PHTHALATE 84-74-2	= 7499 mg/kg (Rat)	> 20 mL/kg (Rabbit)	> 15.68 mg/L (Rat) 4 h
Hydroxypropyl Methacrylate 27813-02-1	= 11200 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
Cumene Hydroperoxide 80-15-9	= 382 mg/kg ( Rat )	= 0.126 mL/kg ( Rabbit )	= 220 ppm (Rat) 4 h
N,N-DIMETHYL-P-TOLUIDINE 99-97-8	= 1650 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 1400 mg/m <sup>3</sup> (Rat) 4 h

## Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Germ cell mutagenicity**No information available.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
N,N-DIMETHYL-P-TOLUIDI	-	Group 2B	=	X
NE				
99-97-8				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 4,669.00 mg/kg

 ATEmix (dermal)
 13,192.00 mg/kg

 ATEmix (inhalation-dust/mist)
 7.88 mg/l

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIBUTYL PHTHALATE	1.2: 72 h Desmodesmus	0.31 - 5.45: 96 h Pimephales	3.4: 48 h Daphnia magna mg/L
84-74-2	subspicatus mg/L EC50 0.4: 96 h	promelas mg/L LC50 static 0.71 -	EC50 2.99: 48 h Daphnia magna
	Pseudokirchneriella subcapitata	1.2: 96 h Pimephales promelas	mg/L EC50 Static
	mg/L EC50 static	mg/L LC50 flow-through 1.24: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		flow-through 1.38 - 1.74: 96 h	
		Lepomis macrochirus mg/L LC50	
		flow-through 0.42 - 1.28: 96 h	
		Lepomis macrochirus mg/L LC50	
		static 1.24 - 5.3: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
Hydroxypropyl Methacrylate	-	493: 48 h Leuciscus idus melanotus	-
27813-02-1		mg/L LC50 static	
Cumene Hydroperoxide	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	
Insoluble Saccharin	-	18300: 96 h Pimephales promelas	-
81-07-2		mg/L LC50	
METHANOL	-	28200: 96 h Pimephales promelas	-
67-56-1		mg/L LC50 flow-through 100: 96 h	

	Pimephales promelas mg/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through
N,N-DIMETHYL-P-TOLUIDINE	- 42 - 50.5: 96 h Pimephales -
99-97-8	promelas mg/L LC50 flow-through

## Persistence and degradability

No information available.

## **Bioaccumulation**

Chemical Name	Partition coefficient
DIBUTYL PHTHALATE	5.38
84-74-2	
Hydroxypropyl Methacrylate	0.97
27813-02-1	
N,N-DIMETHYL-P-TOLUIDINE	2.81
99-97-8	

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number Not applicable

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
DIBUTYL PHTHALATE 84-74-2	U069	Included in waste stream: F039	-	U069
Cumene Hydroperoxide 80-15-9	-	-	-	U096
METHANOL 67-56-1	-	Included in waste stream: F039	-	U154
NAPHTHOQUINONE 130-15-4	U166	Included in waste stream: K024	-	U166

Chemical Name	California Hazardous Waste Status
Cumene Hydroperoxide	Toxic
80-15-9	Ignitable

## 14. TRANSPORT INFORMATION

DOT

**UN/ID no.** UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (DIBUTYL PHTHALATE)

Hazard Class 9
Packing Group III

**Special Provisions** 8, 146, 335, IB3, T4, TP1, TP29 **Note** Not regulated for ground transport

#### **IATA**

**UN/ID no.** UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (DIBUTYL PHTHALATE)

Hazard Class 9
Packing Group III
Special Provisions None

<u>IMDG</u>

**UN/ID no.** UN 3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s. (DIBUTYL PHTHALATE)

Hazard Class9Packing GroupIIISpecial ProvisionsNoneMarine pollutantYes

## 15. REGULATORY INFORMATION

## **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS ENCS** Complies **IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

#### Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
DIBUTYL PHTHALATE - 84-74-2	1.0
Cumene Hydroperoxide - 80-15-9	1.0

## SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	Yes

Revision Date 09-Oct-2017

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
DIBUTYL PHTHALATE 84-74-2	10 lb	Х	X	Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIBUTYL PHTHALATE	10 lb	<del>-</del>	RQ 10 lb final RQ
84-74-2			RQ 4.54 kg final RQ
Cumene Hydroperoxide	10 lb	<del>-</del>	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ

## US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
DIBUTYL PHTHALATE - 84-74-2	Developmental	
	Female Reproductive	
	Male Reproductive	
METHANOL - 67-56-1	Developmental	
N,N-DIMETHYL-P-TOLUIDINE - 99-97-8	Carcinogen	

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
DIBUTYL PHTHALATE 84-74-2	X	X	Х
Cumene Hydroperoxide 80-15-9	X	X	Х

#### U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Health hazards -**Physical and Chemical** NFPA Flammability -Instability -

Properties -**HMIS** Health hazards -Flammability -Physical hazards -Personal protection -

SDS coordinator Prepared By **Issue Date** 09-Jul-2015

**Revision Note** No information available

**Revision Date** 09-Oct-2017

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**